

L Number	Hits	Search Text	DB	Time stamp
-	2	("5564019").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 09:30
-	2	("5551013").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 13:55
-	19504441	@ad<=20000906 or @rlad<=20000906	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 09:37
-	209	(transfer\$4 near4 data) and (((plurality or array) adj4 (processors or module\$1 or element\$1)) or FPGA) and emulat\$5.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:44
-	503	(compil\$4 near4 (code or program)) and (emulat\$5 or cosimulat\$5) and (reprogram\$6 or reconfigur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:46
-	51	((block\$4 near3 (code or transfer\$3)) same (memory and (processor\$1 or module\$1 or element\$1 or chip\$1))) and (emulat\$4 or cosimulat\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 11:06
-	7	((block\$4 or unblock\$4) near4 transfer\$4) and (compil\$5 and FPGA) and (emulat\$4 or cosimulat\$4).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 10:56
-	50	((block\$4 adj3 (transfer adj3 (data near8 (memory or host)))) and (emulation or cosimulation) and ((compil\$4 or decod\$4) near4 code)) and (FPGA or reprogramm\$5 or reconfigurab\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 18:40
-	190025	(block\$4 and unblock\$4 A) near5 (code or instruction\$1 or module)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 11:47
-	117	(data near3 transfer\$4) same ((processor\$1 or element\$1) near5 (host or "work station")) and (reprogrammable or FPGA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:40
-	41	((lock\$4 or prohibit\$4 or stop\$4 or inhibit\$4) or (unlock\$4 or restor\$4 or restart\$4 or unblock\$4)) near4 (transfer\$3 near2 data)) and (code near4 compil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 10:26
-	6	((lock\$4 or prohibit\$4 or stop\$4 or inhibit\$4) or (unlock\$4 or restor\$4 or restart\$4 or unblock\$4)) near4 (transfer\$3 near2 data)) and (code near4 compil\$4) and (FPGA or "processing elements" or "processor chips" or (array near3 processors)) and (emulat\$4 or cosimulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 15:46
-	1926	((control\$4 or disabl\$4) near5 (mask or bit)) and ((program or code) same compil\$4) and (memory near4 (control or access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:38
-	90	5021945.URPN.	USPAT	2003/04/15 16:11

-	1481	(716/4,5; 703/26).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 16:55
-	18	((716/4,5; 703/26).CCLS.) and (FPGA or ((array or network) near4 (processors or element\$1 or chips))) and (emulat\$4 or cosimulat\$4) and (compil\$4 same program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:37
-	55	((716/4,5; 703/26).CCLS.) not (((716/4,5; 703/26).CCLS.) and (FPGA or ((array or network) near4 (processors or element\$1 or chips))) and (emulat\$4 or cosimulat\$4) and (compil\$4 same program)) and 717/\$)) and ((memory adj2 access\$4) or (bus near3 priority)) and (control near8 (bit\$1 or mask))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:52
-	15323	((enabl\$4 or unlock\$4 or (turn adj on)) and (disabl\$4 or lock\$4 or (turn adj off) or inhibit\$4)) same ((data near3 transfer\$4) or (memory near4 (read or write or access or store)) or (bus adj2 priority))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:37
-	95	((enabl\$4 or unlock\$4 or (turn adj on)) and (disabl\$4 or lock\$4 or (turn adj off) or inhibit\$4)) same ((data near3 transfer\$4) or (memory near4 (read or write or access or store)) or (bus adj2 priority))) and (FPGA or ((array or network) near4 (processors or element\$1 or chips))) and (emulat\$4 or cosimulat\$4) and (compil\$4 same program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:37
-	2834	((control\$4 or disabl\$4 or on or off or enable) near5 (mask\$1 or bit\$1)) and ((program or code) same compil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/15 17:39
-	51	(maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors)) and (((memory or bus) near3 (access or preempt\$5)) same (right\$1 or privile\$6 or priorit\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 10:33
-	14	((maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors)) and (((memory or bus) near3 (access or preempt\$5)) same (right\$1 or privile\$6 or priorit\$4))) and (host and ((maint\$7 or clean\$3 or recover\$4 or updat\$4) near4 (activit\$4 or task\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 10:31
-	34	((maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors)) and (((memory or bus) near3 (access or preempt\$5)) same (right\$1 or privile\$6 or priorit\$4))) and (emulat\$4 or cosimulat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 11:04

-	1	((US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-6349392-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-5551013-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$ or US-5021945-\$ or US-4885684-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-6480845-\$ or US-5016162-\$ or US-4000485-\$ or US-5666515-\$ or US-5592673-\$ or US-6522985-\$).did. or (US-5805792-\$ or US-5329471-\$ or US-5966534-\$).did. or (EP-207320-\$).did.) and (maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 16:00
-	32	((maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors)) and (((memory or bus) near3 (access or preempt\$5)) same (right\$1 or privile\$6 or priorit\$4))) and (emulat\$4 or cosimulat\$4)) and (FPGA or multiprocess\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 11:55
-	1	((((maintenance adj2 bus) and (multiprocess\$4 or FPGA or (host and processors)) and (((memory or bus) near3 (access or preempt\$5)) same (right\$1 or privile\$6 or priorit\$4))) and (emulat\$4 or cosimulat\$4)) and (FPGA or multiprocess\$5)) and (DSP or HDL or ASIC)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 16:02
-	1249	(717/124-138).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/16 16:02
-	6	(block\$4 near5 transfer) and (multi adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 09:57
-	6	((block\$4 near5 transfer) and (multi adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 09:58
-	18	(block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 10:02
-	0	((block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906)) and emulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 09:58
-	17	((block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 11:38
-	4	(block\$4 same (transfer and bus)) and (emulator or emulation) and ((blocking or inhibiting) adj2 (code or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 11:20

-	43	emulation.ab. and (transfer near5 (block\$4 or suspend\$4)) and ((block\$4 or inhibit\$5) near3 (command or code or instruction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 11:22
-	17	((block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 11:38
-	38	((emulation.ab. and (transfer near5 (block\$4 or suspend\$4)) and ((block\$4 or inhibit\$5) near3 (command or code or instruction))) or (((block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906))) and ((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 14:20
-	38	((emulation.ab. and (transfer near5 (block\$4 or suspend\$4)) and ((block\$4 or inhibit\$5) near3 (command or code or instruction))) or (((block\$4 near5 transfer) and ((multi\$5 or plurality) adj3 process\$4) and ((blocking or inhibiting) adj2 (code or instruction))) and (@ad<=20000906 or @rlad<=20000906))) and ((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same memory)) and (@ad<=20000906 or @rlad<=20000906))) and ((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same memory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:03
-	3200	((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 14:26
-	1123	((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 14:27
-	1	(((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor)) and (blocking adj2 (instruction or code or command)) and ((bus or data or memory) near4 (transfer operation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 14:38
-	29	(((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command)) and ((bus or data or memory) near4 (transfer operation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:39
-	0	(((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command)) and ((bus or data or memory) near4 (transfer operation))) and (block\$4 near4 (access near4 memory)) and emulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 14:37

-	276	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and (block\$4 near4 ((access near4 memory) or (data near3 transfer))) and emulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:38
-	6	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and (block\$4 near4 ((access near4 memory) or (data near3 transfer))) and emulation) and (blocking adj2 (instruction or code or command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 15:54
-	20	(((preempt\$4 or control) adj4 bus) near4 maintenance) and ((blocking or halt or interrupt or inhibit) adj2 (instruction or code or command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 15:56
-	20	(((((preempt\$4 or control) adj4 bus) near4 maintenance) and ((blocking or halt or interrupt or inhibit) adj2 (instruction or code or command))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:34
-	4	(((((preempt\$4 or control) adj4 bus) near4 maintenance) and ((blocking or halt or interrupt or inhibit) adj2 (instruction or code or command))) and (@ad<=20000906 or @rlad<=20000906)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:34
-	5	("5479652" "5884023" "5983017" "5983379" "6041406").PN.	USPAT	2003/12/22 16:28
-	2	((("5479652" "5884023" "5983017" "5983379" "6041406").PN.) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:32
-	101	((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:33
-	24	(((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:34
-	24	(((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:34
-	21	(((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:35

-	21	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and ((((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:38
-	21	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and ((((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command))) and (((access near4 memory) or (data near3 transfer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:39
-	21	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and ((((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command))) and (((access near4 memory) or (data near3 transfer))) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command)) and ((bus or data or memory) near4 (transfer operation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:40
-	1	(((((block\$5 or inhibi\$4) adj3 (instruction or command or code)) and ((block\$4 near4 transfer) same (data or memory or bus))) or (((suspend\$4 or inhibit\$4 or block\$4) near5 ((memory or bus or data) adj3 transfer)) and (multi\$5 near4 processor))) and ((((((deni\$3 near4 access) near5 (memory or bus)) same (instruction or code or command)) and emulat\$5 and (multi\$6 near2 (processor or PE or DSP))) and (@ad<=20000906 or @rlad<=20000906)) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command))) and (((access near4 memory) or (data near3 transfer))) and ((suspending or inhibit\$4 or blocking) adj2 (instruction or code or command)) and ((bus or data or memory) near4 (transfer operation))) not (Texas.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/22 16:40

-	36	(US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$).did. or (EP-207320-\$).did.	USPAT; DERWENT	2003/12/23 09:32
-	38	(maintenance near5 bus) and (shared adj2 memory) and (multi\$5 near3 (processor or PE))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 09:37
-	35	((maintenance near5 bus) and (shared adj2 memory) and (multi\$5 near3 (processor or PE))) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 10:55
-	3	((maintenance near5 bus) and (shared adj2 memory) and (multi\$5 near3 (processor or PE))) and (@ad<=20000906 or @rlad<=20000906)) and (emulation or simulation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 10:37
-	989	(711/163-164).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 10:37
-	1	((711/163-164).CCLS.) and (maintenance adj2 bus) and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 10:41
-	1	((711/163-164).CCLS.) and (maintenance adj2 bus) and compil\$5 and emulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:09
-	14	((711/163-164).CCLS.) and (block near5 access) and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:24
-	4	((711/163-164).CCLS.) and emulation and ((blocking or suspend\$5 or inhibit\$4) near5 access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:18
-	22	(high-level adj2 language) and emulation.ab. and ((block\$4 or control\$4 or suspend\$4) near5 access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 10:54
-	44	(high-level adj2 language) and (simulation or emulation).ab. and ((block\$4 or control\$4 or suspend\$4) near5 access)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:06

-	31	((high-level adj2 language) and (simulation or emulation).ab. and ((block\$4 or control\$4 or suspend\$4) near5 access)) and (@ad<=20000906 or @rlad<=20000906)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:05
-	70	cisco.as. and emulation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:06
-	5	(cisco.as. and emulation) and ((maintenance adj2 bus) or (compil\$5 and emulat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:25
-	43	(US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.	USPAT; US-PGPUB; DERWENT	2003/12/23 11:13
-	2	((US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.) and (compil\$4 or (high-level adj2 language)) and (maintenance adj2 bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:13
-	71	4701845.URPN.	USPAT	2003/12/23 11:17

-	28	("3879712" "3921141" "3988579" "4039813" "4057847" "4192451" "4315311" "4503535" "4562536" "4701845" "4823343" "4924391" "4953165" "5005142" "5255208" "5357519" "5455933" "5594663" "5659680" "6041287" "6070253" "6175934" "6189114" "6192490" "6212651" "6233702" "6321174" "6324485").PN.	USPAT	2003/12/23 11:17
-	462	(emulat\$4 or simulat\$4) and (block near5 access) and compil\$5 and (multi\$5 adj2 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:25
-	22	((high-level adj2 language) and emulation.ab. and ((block\$4 or control\$4 or suspend\$4) near5 access)) and ((maintenance adj2 bus) or (compil\$5 and emulat\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:32
-	0	((high-level adj2 language) and emulation.ab. and ((block\$4 or control\$4 or suspend\$4) near5 access)) and ((maintenance adj2 bus) or (compil\$5 and emulat\$5))) and (maintenance adj2 bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:33
-	9	((US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.) and (maintenance adj2 bus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 11:33
-	43	(US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.	USPAT; US-PGPUB; DERWENT	2003/12/23 12:05

-	0	((US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.) and (selectiv\$5 adj4 ((block\$5 or inhibit\$5 or suspend\$4 or deni\$3 or deny\$3) near4 access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 12:07
-	0	emulation and (programming near3 (code or language or instruction)) and (selectiv\$5 adj4 ((block\$5 or inhibit\$5 or suspend\$4 or deni\$3 or deny\$3) near4 access))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 12:08
-	11	((US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.) and maintenance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 13:39

-	28	((US-6522985-\$ or US-6480845-\$ or US-6349392-\$ or US-5933624-\$ or US-5805792-\$ or US-5329471-\$ or US-6070003-\$ or US-5471592-\$ or US-6275499-\$ or US-5386517-\$ or US-4701845-\$ or US-5551013-\$ or US-6134516-\$ or US-6009256-\$ or US-5841967-\$ or US-5410652-\$ or US-6092097-\$ or US-5966528-\$ or US-5963746-\$ or US-4885684-\$ or US-5963736-\$ or US-5960191-\$ or US-5911059-\$ or US-6122706-\$ or US-5796961-\$ or US-6336154-\$).did. or (US-5021945-\$ or US-6480952-\$ or US-6480818-\$ or US-6389379-\$ or US-5666515-\$ or US-5592673-\$ or US-5016162-\$ or US-4000485-\$ or US-5966534-\$ or US-6529983-\$ or US-6513108-\$ or US-6505269-\$ or US-6119215-\$ or US-5701502-\$ or US-5845094-\$).did. or (US-20020013918-\$).did. or (EP-207320-\$).did.) and multiprocess\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 13:42
---	----	--	---	---------------------